

Allgemeine Informationen

| | |
|-------------------------------|---|
| Name | Thunderbird |
| Version | 45.8.0 |
| User-Agent | Mozilla/5.0 (Windows NT 10.0; WOW64; rv:45.0) Gecko/20100101 Thunderbird/45.8.0 |
| Profilordner | Ordner anzeigen (Lokaler Datenträger) |
| Build-ID der Anwendung | 20170305125302 |
| Aktivierte Plugins | about:plugins |
| Build-Konfiguration | about:buildconfig |
| Speicherverwendung | about:memory |

E-Mail- und Newsgruppen-Konten

| ID | Posteingangs-Server | | | Postausgangs-Server | | |
|----------|-----------------------------------|-----------------------|---------------------------|---------------------|-----------------------|---------------------------|
| | Name | Verbindungssicherheit | Authentifizierungsmethode | Name | Verbindungssicherheit | Authentifizierungsmethode |
| account1 | (imap) imap.w eb.de:9 93 | SSL | passwordCleartext | smtp.web.de:587 | alwaysSTARTTLS | passwordCleartext |
| account2 | (none) Local Folders | plain | passwordCleartext | | | |
| account3 | (imap) imap.w eb.de:9 93 | SSL | passwordCleartext | smtp.web.de:587 | alwaysSTARTTLS | passwordCleartext |
| account5 | (imap) imap.w eb.de:9 | SSL | passwordCleartext | smtp.web.de:587 | alwaysSTARTTLS | passwordCleartext |

| ID | Posteingangs-Server | | | Postausgangs-Server | | |
|-----------|--|-----------------------|---------------------------|------------------------------|-----------------------|---------------------------|
| | Name | Verbindungssicherheit | Authentifizierungsmethode | Name | Verbindungssicherheit | Authentifizierungsmethode |
| account6 | 93 (imap) secureimap.t-online.de:993 | SSL | passwordCleartext | securesmtp.t-online.de:587 | alwaysSTARTTLS | passwordCleartext |
| account7 | (imap) imap.googlemail.com:993 | SSL | passwordCleartext | smtp.googlemail.com:465 | SSL | passwordCleartext |
| account11 | (pop3) mail.aufwind-solutions.de:110 | plain | passwordEncrypted | mail.aufwind-solutions.de:25 | plain | passwordEncrypted |
| account12 | (pop3) mail.aufwind-solutions.de:110 | alwaysSTARTTLS | passwordEncrypted | mail.aufwind-solutions.de:25 | alwaysSTARTTLS | passwordEncrypted |

Absturzberichte

| Meldungs-ID | Gesendet |
|---|------------|
| bp-d2688fcb-8a79-4517-a3fd-7b3860171019 | 19.10.2017 |
| bp-e0c04f90-552b-4cce-af9b-8d6f60170420 | 20.04.2017 |

| Meldungs-ID | Gesendet |
|---|------------|
| bp-482c96af-842a-4ce2-a7e9-d08a52170328 | 28.03.2017 |
| bp-862f3182-7be9-476a-9af4-1ead82160202 | 02.02.2016 |

Erweiterungen

| Name | Version | Aktiviert | ID |
|------------------------------|----------|-----------|--|
| Extra Folder Columns | 1.1.5 | false | extra-cols@jminta_gmail.com |
| Google Tasks Sync | 0.5.3 | false | google_tasks_sync@tomasz.lewoc |
| ImportExportTools | 3.2.4.1 | false | {3ed8cc52-86fc-4613-9026-c1ef969da4c3} |
| Lightning Calendar Tabs | 2.0 | false | lightningcalendartabs@jlx.84 |
| Provider for Google Calendar | 3.3 | false | {a62ef8ec-5fdc-40c2-873c-223b8a6925cc} |
| Quicktext | 0.9.11.7 | false | {8845E3B3-E8FB-40E2-95E9-EC40294818C4} |
| Signature Switch | 1.6.16 | false | {2ab1b709-ba03-4361-abf9-c50b964ff75d} |

Wichtige modifizierte Einstellungen

| Name | Wert |
|--|----------|
| browser.cache.disk.capacity | 358400 |
| browser.cache.disk.filesystem_reported | 1 |
| browser.cache.disk.smart_size_cached_value | 358400 |
| browser.cache.disk.smart_size.first_run | false |
| browser.cache.disk.smart_size.use_old_max | false |
| dom.apps.reset-permissions | true |
| extensions.lastAppVersion | 45.8.0 |
| font.internaluseonly.changed | true |
| font.name.monospace.el | Consolas |
| font.name.monospace.tr | Consolas |
| font.name.monospace.x-baltic | Consolas |
| font.name.monospace.x-central-euro | Consolas |

| Name | Wert |
|-------------------------------------|----------|
| font.name.monospace.x-cyrillic | Consolas |
| font.name.monospace.x-unicode | Consolas |
| font.name.monospace.x-western | Consolas |
| font.name.sans-serif.el | Calibri |
| font.name.sans-serif.tr | Calibri |
| font.name.sans-serif.x-baltic | Calibri |
| font.name.sans-serif.x-central-euro | Calibri |
| font.name.sans-serif.x-cyrillic | Calibri |
| font.name.sans-serif.x-unicode | Calibri |
| font.name.serif.el | Cambria |
| font.name.serif.tr | Cambria |
| font.name.serif.x-baltic | Cambria |
| font.name.serif.x-central-euro | Cambria |
| font.name.serif.x-cyrillic | Cambria |
| font.name.serif.x-unicode | Cambria |
| font.name.serif.x-western | Cambria |
| font.size.fixed.el | 14 |
| font.size.fixed.tr | 14 |
| font.size.fixed.x-baltic | 14 |
| font.size.fixed.x-central-euro | 14 |
| font.size.fixed.x-cyrillic | 14 |
| font.size.fixed.x-unicode | 14 |
| font.size.fixed.x-western | 14 |
| font.size.variable.el | 17 |
| font.size.variable.tr | 17 |
| font.size.variable.x-baltic | 17 |
| font.size.variable.x-central-euro | 17 |
| font.size.variable.x-cyrillic | 17 |

| Name | Wert |
|---|---|
| font.size.variable.x-unicode | 17 |
| font.size.variable.x-western | 17 |
| gfx.blacklist.suggested-driver-version | 257.21 |
| gfx.crash-guard.glcontext.appVersion | 45.0 |
| gfx.crash-guard.glcontext.deviceID | 0x0f31 |
| gfx.crash-guard.glcontext.driverVersion | 10.18.10.4653 |
| gfx.crash-guard.glcontext.gfx.driver-init.direct3d11-angle | true |
| gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle | true |
| gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-force-d3d11 | false |
| gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-force-warp | false |
| gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-try-d3d11 | true |
| gfx.crash-guard.status.glcontext | 2 |
| gfx.direct3d.last_used_feature_level_idx | 0 |
| mail.openMessageBehavior.version | 1 |
| mail.winsearch.firstRunDone | true |
| mailnews.database.global.datastore.id | 7b35de35-395e-4a3f-8a4b-9ee2c999577 |
| mailnews.database.global.views.conversation.columns | {"threadCol":{"visible":true,"ordinal":"1"},"flaggedCol":{"visible":true,"ordinal":"3"},"attachmentCol":{"visible":false... |
| media.gmp.storage.version.observed | 1 |
| network.cookie.lifetimePolicy | 2 |
| network.cookie.prefsMigrated | true |
| network.predictor.cleaned-up | true |
| places.database.lastMaintenance | 1511903195 |
| places.history.expiration.transient_current_max_pages | 122334 |
| plugin.importedState | true |
| plugin.state.flash | 0 |
| plugins.update.notifyUser | true |

| Name | Wert |
|---|---------------------------------|
| print.always_print_silent | false |
| print.print_printer | HP LaserJet Professional P1102w |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_bgcolor | false |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_bgimages | false |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_command | |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_downloadfonts | false |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_edge_bottom | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_edge_left | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_edge_right | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_edge_top | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_evenpages | true |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_footercenter | |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_footerleft | &PT |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_footerright | &D |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_headercenter | |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_headerleft | &T |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf- | &U |

| Name | Wert |
|---|-------|
| Sparen.print_headerright | |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_in_color | true |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_margin_bottom | 0.5 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_margin_left | 0.5 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_margin_right | 0.5 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_margin_top | 0.5 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_oddpages | true |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_orientation | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_pagedelay | 500 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_paper_data | 9 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_paper_height | 11,00 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_paper_size_type | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_paper_size_unit | 1 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_paper_width | 8,50 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_reversed | false |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_scaling | 1,00 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf- | true |

| Name | Wert |
|---|------------|
| Sparen.print_shrink_to_fit | |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_to_file | false |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_unwriteable_margin_bottom | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_unwriteable_margin_left | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_unwriteable_margin_right | 0 |
| print.printer_EPSON_Stylus_DX4800_Series_Entwurf-Sparen.print_unwriteable_margin_top | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_bgcolor | false |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_bgimages | false |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_colorspace | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_command | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_downloadfonts | false |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_duplex | -437918235 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_edge_bottom | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_edge_left | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_edge_right | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_edge_top | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_evenpages | true |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_footercenter | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_footerleft | &PT |

| Name | Wert |
|---|--------|
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_footerright | &D |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_headercenter | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_headerleft | &T |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_headerright | &U |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_in_color | true |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_margin_bottom | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_margin_left | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_margin_right | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_margin_top | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_oddpages | true |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_orientation | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_page_delay | 50 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_data | 9 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_height | 297,00 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_name | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_size_type | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_size_unit | 1 |

| Name | Wert |
|---|------------|
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_paper_width | 210,00 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_plex_name | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_resolution | -437918235 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_resolution_name | |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_reversed | false |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_scaling | 1,00 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_shrink_to_fit | true |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_to_file | false |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_unwriteable_margin_bottom | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_unwriteable_margin_left | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_unwriteable_margin_right | 0 |
| print.printer_HP_LaserJet_Professional_P1102w_(Kopie_1).print_unwriteable_margin_top | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_bgcolor | false |
| print.printer_HP_LaserJet_Professional_P1102w.print_bgimages | false |
| print.printer_HP_LaserJet_Professional_P1102w.print_command | |
| print.printer_HP_LaserJet_Professional_P1102w.print_downloadfonts | false |
| print.printer_HP_LaserJet_Professional_P1102w.print_edge_bottom | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_edge_left | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_edge_right | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_edge_top | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_evenpages | true |

| Name | Wert |
|---|-------|
| print.printer_HP_LaserJet_Professional_P1102w.print_footercenter | |
| print.printer_HP_LaserJet_Professional_P1102w.print_footerleft | &PT |
| print.printer_HP_LaserJet_Professional_P1102w.print_footerright | &D |
| print.printer_HP_LaserJet_Professional_P1102w.print_headercenter | |
| print.printer_HP_LaserJet_Professional_P1102w.print_headerleft | &T |
| print.printer_HP_LaserJet_Professional_P1102w.print_headerright | &U |
| print.printer_HP_LaserJet_Professional_P1102w.print_in_color | true |
| print.printer_HP_LaserJet_Professional_P1102w.print_margin_bottom | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w.print_margin_left | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w.print_margin_right | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w.print_margin_top | 0.5 |
| print.printer_HP_LaserJet_Professional_P1102w.print_oddpages | true |
| print.printer_HP_LaserJet_Professional_P1102w.print_orientation | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_page_delay | 50 |
| print.printer_HP_LaserJet_Professional_P1102w.print_pagedelay | 500 |
| print.printer_HP_LaserJet_Professional_P1102w.print_paper_data | 9 |
| print.printer_HP_LaserJet_Professional_P1102w.print_paper_height | 11,00 |
| print.printer_HP_LaserJet_Professional_P1102w.print_paper_size_type | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_paper_size_unit | 1 |
| print.printer_HP_LaserJet_Professional_P1102w.print_paper_width | 8,50 |
| print.printer_HP_LaserJet_Professional_P1102w.print_reversed | false |
| print.printer_HP_LaserJet_Professional_P1102w.print_scaling | 1,00 |
| print.printer_HP_LaserJet_Professional_P1102w.print_shrink_to_fit | true |
| print.printer_HP_LaserJet_Professional_P1102w.print_to_file | false |
| print.printer_HP_LaserJet_Professional_P1102w.print_unwriteable_margin_bottom | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_unwriteable_margin_left | 0 |

| Name | Wert |
|---|------------|
| print.printer_HP_LaserJet_Professional_P1102w.print_unwriteable_margin_right | 0 |
| print.printer_HP_LaserJet_Professional_P1102w.print_unwriteable_margin_top | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_bgcolor | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_bgimages | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_colorspace | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_command | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_downloadfonts | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_duplex | 1515870810 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_edge_bottom | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_edge_left | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_edge_right | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_edge_top | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_evenpages | true |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_footercenter | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_footerleft | &PT |

| Name | Wert |
|---|-------|
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_footer_right | &D |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_header_center | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_header_left | &T |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_header_right | &U |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_in_color | true |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_margin_bottom | 0.5 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_margin_left | 0.5 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_margin_right | 0.5 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_margin_top | 0.5 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_oddpages | true |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_orientation | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_page_delay | 50 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_data | 9 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_height | 11,00 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_name | |

| Name | Wert |
|--|-------------|
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_size_type | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_size_unit | 1 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_paper_width | 8,50 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_plex_name | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_resolution | 1515870810 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_resolution_name | |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_reversed | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_scaling | 1,00 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_shrink_to_fit | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_to_file | false |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_unwritable_margin_bottom | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_unwritable_margin_left | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_unwritable_margin_right | 0 |
| print.printer_NPI8B1A8C_(HP_LaserJet_Professional_P1102w).print_unwritable_margin_top | 0 |
| print.printer_PDF24_PDF.print_bgcolor | false |
| print.printer_PDF24_PDF.print_bgimages | false |
| print.printer_PDF24_PDF.print_duplex | -437918235 |

| Name | Wert |
|---|-------------|
| print.printer_PDF24_PDF.print_edge_bottom | 0 |
| print.printer_PDF24_PDF.print_edge_left | 0 |
| print.printer_PDF24_PDF.print_edge_right | 0 |
| print.printer_PDF24_PDF.print_edge_top | 0 |
| print.printer_PDF24_PDF.print_evenpages | true |
| print.printer_PDF24_PDF.print_footercenter | |
| print.printer_PDF24_PDF.print_footerleft | &PT |
| print.printer_PDF24_PDF.print_footerright | &D |
| print.printer_PDF24_PDF.print_headercenter | |
| print.printer_PDF24_PDF.print_headerleft | &T |
| print.printer_PDF24_PDF.print_headerright | &U |
| print.printer_PDF24_PDF.print_in_color | true |
| print.printer_PDF24_PDF.print_margin_bottom | 0.5 |
| print.printer_PDF24_PDF.print_margin_left | 0.5 |
| print.printer_PDF24_PDF.print_margin_right | 0.5 |
| print.printer_PDF24_PDF.print_margin_top | 0.5 |
| print.printer_PDF24_PDF.print_oddpages | true |
| print.printer_PDF24_PDF.print_orientation | 0 |
| print.printer_PDF24_PDF.print_page_delay | 50 |
| print.printer_PDF24_PDF.print_paper_data | 9 |
| print.printer_PDF24_PDF.print_paper_height | 297,00 |
| print.printer_PDF24_PDF.print_paper_name | |
| print.printer_PDF24_PDF.print_paper_size_type | 1 |
| print.printer_PDF24_PDF.print_paper_size_unit | 1 |
| print.printer_PDF24_PDF.print_paper_width | 210,00 |
| print.printer_PDF24_PDF.print_resolution | -437918235 |
| print.printer_PDF24_PDF.print_reversed | false |
| print.printer_PDF24_PDF.print_scaling | 1,00 |

| Name | Wert |
|---|--|
| print.printer_PDF24_PDF.print_shrink_to_fit | true |
| print.printer_PDF24_PDF.print_to_file | false |
| print.printer_PDF24_PDF.print_unwriteable_margin_bottom | 0 |
| print.printer_PDF24_PDF.print_unwriteable_margin_left | 0 |
| print.printer_PDF24_PDF.print_unwriteable_margin_right | 0 |
| print.printer_PDF24_PDF.print_unwriteable_margin_top | 0 |
| security.sandbox.content.tempDirSuffix | {fb82c828-2226-4c93-a571-9fca07296239} |

Grafik

| | |
|-----------------------------------|--|
| Karten-Beschreibung | Intel(R) HD Graphics |
| Herstellerkennung | 0x8086 |
| Geräteerkennung | 0x0f31 |
| Karten-RAM | Unknown |
| Karten-Treiber | igdumdim64 igd10iumd64 igd10iumd64 igdumdim32 igd10iumd32 igd10iumd32 |
| Treiber-Version | 10.18.10.4653 |
| Treiber-Datum | 4-7-2017 |
| Direct2D aktiviert | false |
| DirectWrite aktiviert | false (10.0.16299.15) |
| ClearType-Parameter | ClearType-Parameter nicht gefunden |
| WebGL-Renderer | Google Inc. -- ANGLE (Intel(R) HD Graphics Direct3D11 vs_5_0 ps_5_0) -- OpenGL ES 2.0 (ANGLE 2.1.0.316930d51ea9) |
| GPU-beschleunigte Fenster | 0 |
| AzureCanvasBackend | skia |
| AzureSkiaAccelerated | 0 |
| AzureFallbackCanvasBackend | cairo |
| AzureContentBackend | cairo |

JavaScript

Inkrementelle GC 1

Barrierefreiheit

Aktiviert 0

Barrierefreiheit verhindern 0

Bibliotheken-Versionen

| | Minimal vorausgesetzte Version | Verwendete Version |
|------------|---------------------------------------|---------------------------|
| NSPR | 4.12 | 4.12 |
| NSS | 3.21.3 Basic ECC | 3.21.3 Basic ECC |
| NSS Util | 3.21.3 | 3.21.3 |
| NSS SSL | 3.21.3 Basic ECC | 3.21.3 Basic ECC |
| NSS S/MIME | 3.21.3 Basic ECC | 3.21.3 Basic ECC |