

Allgemeine Informationen

Name	Thunderbird
Version	60.7.1
Build-ID	20190611205646
Update-Kanal	release
User-Agent	Mozilla/5.0 (Windows NT 10.0; WOW64; rv:60.0) Gecko/20100101 Thunderbird/60.7.1
Betriebssystem	Windows_NT 10.0
Fenster mit mehreren Prozessen	0/0 (deaktiviert)
Web-Inhaltsprozesse	
Stylo	content = true (aktiviert (Standard)), chrome = true (aktiviert (Standard))
Unternehmensrichtlinien	
Google Location Service Key	Fehlt
Google SafeBrowsing Key	Fehlt
Mozilla-Location-Service-Schlüssel	Fehlt
Abgesicherter Modus	false

E-Mail- und Newsgruppen-Konten

ID	Posteingangs-Server			Postausgangs-Server			
	Name	Verbindungs-sicherheit	Authentifizierungsmethode	Name	Verbindungs-sicherheit	Authentifizierungsmethode	Standard ?
account1	(none) Local Folders	plain	passwordCleartext				
account3	(pop3) pop.tmo.at:110	plain	passwordCleartext	smtp.tmo.at:25	plain	passwordCleartext	true
account6	(imap) imap.gmx.net:993	SSL	passwordCleartext	mail.gmx.net:465	SSL	passwordCleartext	true
account7	(pop3) sslmailpool.ispgateway.de:995	SSL	passwordCleartext	sslout.df.eu:465	SSL	passwordCleartext	true
account9	(imap) imaps.drei.at:993	SSL	passwordCleartext	asmtpp.drei.at:465	SSL	passwordCleartext	true
account10	(imap) imap.gmail.com:993	SSL	passwordCleartext	smtp.gmail.com:587	trySTART TLS	passwordCleartext	true

ID	Posteingangs-Server			Postausgangs-Server			
	Name	Verbindungs-sicherheit	Authentifizierungsmethode	Name	Verbindungs-sicherheit	Authentifizierungsmethode	Standard ?
account1	(pop3) mailbox.aon.at:110	plain	passwordCleartext	email.aon.at:25	plain	passwordCleartext	true
account2	(pop3) sslmailpool.ispgateway.de:995	SSL	passwordCleartext	smtprelaypool.ispgateway.de:465	SSL	passwordCleartext	true

Absturzberichte der letzten 3 Tage

Meldungs-ID Gesendet

[Alle Absturzberichte](#)

Erweiterungen

Name	Version	Aktiviert	ID
QuickFolders	4.15.3	true	quickfolders@curious.be
Copy Sent to Current	1.2.4	false	copysent2current@ggbs.de
Display Mail User Agent	1.8.2	false	{F8147CF4-B9E3-445B-AA87-081ED66548F8}
Duplicate Contact Manager	0.9.2	false	{b4447f60-db9c-11da-a94d-0800200c9a66}
Edit email subject	2.1.1	false	EditMailSubject@jcp.convenant
Identity Chooser	1.9.7	false	identitychooser@janek.org
ImportExportTools	3.3.2	false	{3ed8cc52-86fc-4613-9026-c1ef969da4c3}
Kopieren als Nur-Text	1.0.9.1-signed	false	{1a5dabbd-0e74-41da-b532-a364bb552cab}
Mail Merge	5.6.0	false	mailmerge@example.net
Manually Sort Folders	1.2.1	false	tbsortfolders@xulforum.org
MoreFunctionsForAddressBook	1.0b8	false	{3e17310d-82e8-4a43-bd2f-7c3055bfe589}
PrintingTools	1.3.0	false	{5e9999c2-ba1d-44b6-bcee-5b30ce37d3b0}
ProfileSwitcher	1.7.7	false	{fa8476cf-a98c-4e08-99b4-65a69cb4b7d4}
Quicktext	1.5	false	{8845E3B3-E8FB-40E2-95E9-EC40294818C4}
Remove Duplicate Messages (Alternate)	0.3.18b	false	{a300a000-5e21-4ee0-a115-9ec8f4eaa92b}

Name	Version	Aktiviert	ID
Signature Switch	1.7.1	false	{2ab1b709-ba03-4361-abf9-c50b964ff75d}

Sicherheitssoftware

Typ	Name
Antivirus	Windows Defender Antivirus
Antispyware	Windows Defender Antivirus
Firewall	Windows-Firewall

Grafik

	Allgemeine Merkmale
Compositing	Basic
Asynchrones Wischen und Zoomen	nichts
WebGL-1-Treiber: WSI Info	EGL_VENDOR: Google Inc. (adapter LUID: 000000000000c6cc) EGL_VERSION: 1.4 (ANGLE 2.1.0.f474fbb607e0) EGL_EXTENSIONS: EGL_EXT_create_context_robustness EGL_ANGLE_d3d_share_handle_client_buffer EGL_ANGLE_d3d_texture_client_buffer EGL_ANGLE_surface_d3d_texture_2d_share_handle EGL_ANGLE_query_surface_pointer EGL_ANGLE_window_fixed_size EGL_ANGLE_keyed_mutex EGL_ANGLE_surface_orientation EGL_ANGLE_direct_composition EGL_NV_post_sub_buffer EGL_KHR_create_context EGL_EXT_device_query EGL_KHR_image EGL_KHR_image_base EGL_KHR_gl_texture_2D_image EGL_KHR_gl_texture_cubemap_image EGL_KHR_gl_renderbuffer_image EGL_KHR_get_all_proc_addresses EGL_KHR_stream EGL_KHR_stream_consumer_gltexture EGL_NV_stream_consumer_gltexture_yuv EGL_ANGLE_flexible_surface_compatibility EGL_ANGLE_stream_producer_d3d_texture EGL_ANGLE_create_context_webgl_compatibility EGL_CHROMIUM_create_context_bind_generates_resource EGL_CHROMIUM_sync_control EGL_EXT_pixel_format_float EGL_KHR_surfaceless_context EGL_ANGLE_display_texture_share_group EGL_ANGLE_create_context_client_arrays EGL_ANGLE_program_cache_control EGL_ANGLE_robust_resource_initialization

EGL_EXTENSIONS(nullptr): EGL_EXT_client_extensions
 EGL_EXT_platform_base EGL_EXT_platform_device
 EGL_ANGLE_platform_angle
 EGL_ANGLE_platform_angle_d3d
 EGL_ANGLE_device_creation
 EGL_ANGLE_device_creation_d3d11
 EGL_ANGLE_experimental_present_path
 EGL_KHR_client_get_all_proc_addresses
WebGL-1-Treiber: Renderer Google Inc. -- ANGLE (AMD Radeon(TM) R9 270
 Direct3D11 vs_5_0 ps_5_0)
WebGL-1-Treiber: Version OpenGL ES 2.0 (ANGLE 2.1.0.f474fbb607e0)
 GL_ANGLE_client_arrays GL_ANGLE_depth_texture
 GL_ANGLE_framebuffer_blit
 GL_ANGLE_framebuffer_multisample
 GL_ANGLE_instanced_arrays
 GL_ANGLE_lossy_etc_decode
 GL_ANGLE_pack_reverse_row_order
 GL_ANGLE_program_cache_control
 GL_ANGLE_request_extension
 GL_ANGLE_robust_client_memory
 GL_ANGLE_texture_compression_dxt3
 GL_ANGLE_texture_compression_dxt5
 GL_ANGLE_texture_usage
 GL_ANGLE_translated_shader_source
 GL_CHROMIUM_bind_generates_resource
 GL_CHROMIUM_bind_uniform_location
 GL_CHROMIUM_color_buffer_float_rgb
 GL_CHROMIUM_color_buffer_float_rgba
 GL_CHROMIUM_copy_compressed_texture
 GL_CHROMIUM_copy_texture
WebGL-1-Treiber:
Erweiterungen GL_CHROMIUM_sync_query GL_EXT_blend_minmax
 GL_EXT_color_buffer_half_float GL_EXT_debug_marker
 GL_EXT_discard_framebuffer
 GL_EXT_disjoint_timer_query GL_EXT_draw_buffers
 GL_EXT_frag_depth GL_EXT_map_buffer_range
 GL_EXT_occlusion_query_boolean
 GL_EXT_read_format_bgra GL_EXT_robustness
 GL_EXT_sRGB GL_EXT_shader_texture_lod
 GL_EXT_texture_compression_dxt1
 GL_EXT_texture_compression_s3tc_srgb
 GL_EXT_texture_filter_anisotropic
 GL_EXT_texture_format_BGRA8888 GL_EXT_texture_rg
 GL_EXT_texture_storage GL_EXT_unpack_subimage
 GL_KHR_debug GL_NV_EGL_stream_consumer_external
 GL_NV_fence GL_NV_pack_subimage
 GL_NV_pixel_buffer_object GL_OES_EGL_image
 GL_OES_EGL_image_external
 GL_OES_compressed_ETC1_RGB8_texture
 GL_OES_depth32 GL_OES_element_index_uint
 GL_OES_get_program_binary GL_OES_mapbuffer

WebGL-1-Erweiterungen

GL_OES_packed_depth_stencil GL_OES_rgb8_rgba8
GL_OES_standard_derivatives
GL_OES_surfaceless_context GL_OES_texture_float
GL_OES_texture_float_linear GL_OES_texture_half_float
GL_OES_texture_half_float_linear GL_OES_texture_npot
GL_OES_vertex_array_object
ANGLE_instanced_arrays EXT_blend_minmax
EXT_color_buffer_half_float EXT_frag_depth EXT_sRGB
EXT_shader_texture_lod EXT_texture_filter_anisotropic
EXT_disjoint_timer_query OES_element_index_uint
OES_standard_derivatives OES_texture_float
OES_texture_float_linear OES_texture_half_float
OES_texture_half_float_linear OES_vertex_array_object
WEBGL_color_buffer_float
WEBGL_compressed_texture_s3tc
WEBGL_compressed_texture_s3tc_srgb
WEBGL_debug_renderer_info WEBGL_debug_shaders
WEBGL_depth_texture WEBGL_draw_buffers
WEBGL_lose_context

WebGL-2-Treiber: WSI Info

EGL_VENDOR: Google Inc. (adapter LUID:
000000000000c6cc) EGL_VERSION: 1.4 (ANGLE
2.1.0.f474fbb607e0) EGL_EXTENSIONS:
EGL_EXT_create_context_robustness
EGL_ANGLE_d3d_share_handle_client_buffer
EGL_ANGLE_d3d_texture_client_buffer
EGL_ANGLE_surface_d3d_texture_2d_share_handle
EGL_ANGLE_query_surface_pointer
EGL_ANGLE_window_fixed_size
EGL_ANGLE_keyed_mutex
EGL_ANGLE_surface_orientation
EGL_ANGLE_direct_composition
EGL_NV_post_sub_buffer EGL_KHR_create_context
EGL_EXT_device_query EGL_KHR_image
EGL_KHR_image_base EGL_KHR_gl_texture_2D_image
EGL_KHR_gl_texture_cubemap_image
EGL_KHR_gl_renderbuffer_image
EGL_KHR_get_all_proc_addresses EGL_KHR_stream
EGL_KHR_stream_consumer_gltextrue
EGL_NV_stream_consumer_gltextrue_yuv
EGL_ANGLE_flexible_surface_compatibility
EGL_ANGLE_stream_producer_d3d_texture
EGL_ANGLE_create_context_webgl_compatibility
EGL_CHROMIUM_create_context_bind_generates_resource
EGL_CHROMIUM_sync_control
EGL_EXT_pixel_format_float
EGL_KHR_surfaceless_context
EGL_ANGLE_display_texture_share_group
EGL_ANGLE_create_context_client_arrays
EGL_ANGLE_program_cache_control
EGL_ANGLE_robust_resource_initialization
EGL_EXTENSIONS(nullptr): EGL_EXT_client_extensions

EGL_EXT_platform_base EGL_EXT_platform_device
 EGL_ANGLE_platform_angle
 EGL_ANGLE_platform_angle_d3d
 EGL_ANGLE_device_creation
 EGL_ANGLE_device_creation_d3d11
 EGL_ANGLE_experimental_present_path
 EGL_KHR_client_get_all_proc_addresses
WebGL-2-Treiber: Renderer Google Inc. -- ANGLE (AMD Radeon(TM) R9 270
 Direct3D11 vs_5_0 ps_5_0)
WebGL-2-Treiber: Version OpenGL ES 3.0 (ANGLE 2.1.0.f474fbb607e0)
 GL_ANGLE_client_arrays GL_ANGLE_depth_texture
 GL_ANGLE_framebuffer_blit
 GL_ANGLE_framebuffer_multisample
 GL_ANGLE_instanced_arrays
 GL_ANGLE_lossy_etc_decode GL_ANGLE_multiview
 GL_ANGLE_pack_reverse_row_order
 GL_ANGLE_program_cache_control
 GL_ANGLE_request_extension
 GL_ANGLE_robust_client_memory
 GL_ANGLE_texture_compression_dxt3
 GL_ANGLE_texture_compression_dxt5
 GL_ANGLE_texture_usage
 GL_ANGLE_translated_shader_source
 GL_CHROMIUM_bind_generates_resource
 GL_CHROMIUM_bind_uniform_location
 GL_CHROMIUM_color_buffer_float_rgb
 GL_CHROMIUM_color_buffer_float_rgba
 GL_CHROMIUM_copy_compressed_texture
 GL_CHROMIUM_copy_texture
WebGL-2-Treiber: Erweiterungen GL_CHROMIUM_sync_query GL_EXT_blend_minmax
 GL_EXT_color_buffer_float
 GL_EXT_color_buffer_half_float GL_EXT_debug_marker
 GL_EXT_discard_framebuffer
 GL_EXT_disjoint_timer_query GL_EXT_draw_buffers
 GL_EXT_frag_depth GL_EXT_map_buffer_range
 GL_EXT_occlusion_query_boolean
 GL_EXT_read_format_bgra GL_EXT_robustness
 GL_EXT_sRGB GL_EXT_shader_texture_lod
 GL_EXT_texture_compression_dxt1
 GL_EXT_texture_compression_s3tc_srgb
 GL_EXT_texture_filter_anisotropic
 GL_EXT_texture_format_BGRA8888
 GL_EXT_texture_norm16 GL_EXT_texture_rg
 GL_EXT_texture_storage GL_EXT_unpack_subimage
 GL_KHR_debug GL_NV_EGL_stream_consumer_external
 GL_NV_fence GL_NV_pack_subimage
 GL_NV_pixel_buffer_object GL_OES_EGL_image
 GL_OES_EGL_image_external
 GL_OES_EGL_image_external_essl3
 GL_OES_compressed_ETC1_RGB8_texture

	GL_OES_depth32 GL_OES_element_index_uint GL_OES_get_program_binary GL_OES_mapbuffer GL_OES_packed_depth_stencil GL_OES_rgb8_rgba8 GL_OES_standard_derivatives GL_OES_surfaceless_context GL_OES_texture_float GL_OES_texture_float_linear GL_OES_texture_half_float GL_OES_texture_half_float_linear GL_OES_texture_npot GL_OES_vertex_array_object EXT_color_buffer_float EXT_texture_filter_anisotropic EXT_disjoint_timer_query OES_texture_float_linear WEBGL_compressed_texture_s3tc WEBGL_compressed_texture_s3tc_srgb WEBGL_debug_renderer_info WEBGL_debug_shaders WEBGL_lose_context
WebGL-2-Erweiterungen	
Zeichnen auf Nebenthread aktiviert	true
DirectWrite	true (10.0.17763.557)
	GPU 1
Aktiv	Ja
Beschreibung	AMD Radeon(TM) R9 270
Herstellerkennung	0x1002
Geräteerkennung	0x6811
Treiber-Version	22.19.172.769
Treiber-Datum	6-27-2017
Treiber	aticfx64 aticfx64 aticfx64 amdxc64 aticfx32 aticfx32 aticfx32 amdxc32 atiumd64 atidxx64 atidxx64 atiumdag atidxx32 atidxx32 atiumdva atiumd6a atitmm64
Subsys-ID	0b041002
RAM	2048
	Weitere Informationen
AzureCanvasAccelerated	0
AzureCanvasBackend	skia
AzureContentBackend	skia
AzureFallbackCanvasBackend	cairo
	Entscheidungsprotokoll
HW_COMPOSITING	disabled by user: Disabled by pref
D3D11_COMPOSITING	unavailable by default: Hardware compositing is disabled
DIRECT2D	unavailable by default: Direct2D requires Direct3D 11 compositing
D3D11_HW_ANGLE	unavailable by default: D3D11 compositing is disabled disabled by env: D3D11 compositing is disabled
GPU_PROCESS	unavailable by default: Multi-process mode is not enabled

WEBRENDER

opt-in by default: WebRender is an opt-in feature
unavailable by runtime: ANGLE is disabled

Medien

Audi

o-
Back wasapi
end

Max.
Kanäle 2

Bevo
rzugt
es stereo
Kana

llayo
ut

Bevo
rzugt
e 48000
Samp

le-
Rate

Ausgabegeräte

Name	Gruppe	Herstell er	Stat us	Bev orzugt	Fo rm at e	Ka näl e	Ra te	La ten z
6 - Digita l Displ ay Audio (AM D High Defin ition Audio Devic e)	HDAUDIO\FUNC_01&VEN_1002&DEV_AA01& SUBSYS_00AA0100&REV_1003\5&28dbcb48&0 &0001		Unpl ugge d	Non e	def ault : F3 2L E, sup por t: S1 6L E F3 2L E	0	def ault : 0, sup por t: 0 - 0	0 - 0
2 - Digita l Displ ay	HDAUDIO\FUNC_01&VEN_1002&DEV_AA01& SUBSYS_00AA0100&REV_1003\5&28dbcb48&0 &0001		Unpl ugge d	Non e	def ault : F3 2L	0	def ault : 0, sup por	0 - 0

Audio (AMD High Definition Audio Device) E, sup port: S1 6L E F3 2L E t: 0 - 0

1 - Digital Display Audio (AMD High Definition Audio Device) HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&SUBSYS_00AA0100&REV_1003\5&28dbcb48&0&0001 Unpl ugge d Non e sup port: S1 6L E F3 2L E def ault : F3 2L E, sup port: S1 6L E F3 2L E def ault : 0, 0 - 0 sup port: 0 - 0

5 - Digital Display Audio (AMD High Definition Audio Device) HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&SUBSYS_00AA0100&REV_1003\5&28dbcb48&0&0001 Unpl ugge d Non e sup port: S1 6L E F3 2L E def ault : F3 2L E, sup port: S1 6L E F3 2L E def ault : 0, 0 - 0 sup port: 0 - 0

Lautsprecher / Kopfhörer (Realtek High Definition) HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&SUBSYS_102805B7&REV_1000\4&220b1bbc&0&0001 Enab led All sup port: S1 2 def ault : F3 2L E, sup port: S1 def ault : 480 00, 4 - 480 00

Audio)		6L E F3 2L E	- 480 00
3 - Digita l Displ ay Audio (AM D High Defin ition Audio Devic e)	HDAUDIO\FUNC_01&VEN_1002&DEV_AA01& SUBSYS_00AA0100&REV_1003\5&28dbcb48&0 &0001	Unpl ugge d Non e	def ault : F3 2L E, sup por t: S1 6L E F3 2L E
4 - Digita l Displ ay Audio (AM D High Defin ition Audio Devic e)	HDAUDIO\FUNC_01&VEN_1002&DEV_AA01& SUBSYS_00AA0100&REV_1003\5&28dbcb48&0 &0001	Unpl ugge d Non e	def ault : F3 2L E, sup por t: S1 6L E F3 2L E

Eingabegeräte

Name	Gruppe	Her stell er	Stat us	Bev orzu gt	Fo rm at	Ka nä le	Ra te	La ten z
Lauts prech er / Kopf hörer (Realt ek High Defin ition Audio	HDAUDIO\FUNC_01&VEN_10EC&DEV_0899& SUBSYS_102805B7&REV_1000\4&220b1bbc&0 &0001	Disa bled	Non e		def ault : F3 2L E, sup por t: S1 6L	0	def ault : 0, sup por t: 0 - 0	0 - 0

)

Lautsprecher /
Kopfhörer (Realtek High Definition Audio)

HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&SUBSYS_102805B7&REV_1000\4&220b1bbc&0&0001

Enabled Non-removable
E32LE, supported: S16LE F32LE
default: 0, 0 - 0

Lautsprecher /
Kopfhörer (Realtek High Definition Audio)

HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&SUBSYS_102805B7&REV_1000\4&220b1bbc&0&0001

Enabled Non-removable
E32LE, supported: S16LE F32LE
default: 0, 0 - 0

Lautsprecher /
Kopfhörer (Realtek High Definition Audio)

HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&SUBSYS_102805B7&REV_1000\4&220b1bbc&0&0001

Enabled Non-removable
E32LE, supported: S16LE F32LE
default: 0, 0 - 0

Internal HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&

Enabled Non-removable default: 0 - 0

e SUBSYS_00AA0100&REV_1003\5&28dbcb48&0
AUX- &0001
Buchse
(AMD
High
Definition
Audio
Device)

Interne
AUX-
Buchse
(AMD HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&
SUBSYS_00AA0100&REV_1003\5&28dbcb48&0
High &0001
Definition
Audio
Device)

Eingang
(Realtek
High Definition
Audio
)
HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&
SUBSYS_102805B7&REV_1000\4&220b1bbc&0
&0001

Interne
AUX-
Buchse
(AMD
HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&
SUBSYS_00AA0100&REV_1003\5&28dbcb48&0
&0001

bled e ault ault 0
:
F3 : 0,
2L sup
E, por
sup t: 0
por - 0
t:
S1
6L
E
F3
2L
E
def
ault
:
F3
2L def
E, ault
sup : 0, 0 -
por 0 sup
t: 0 por
S1 t: 0
6L - 0
E
F3
2L
E
def
ault def
:
F3 :
2L 480
E, 00,
sup sup 0 -
por 2 por 0
t: 0
S1 480
6L 00
E -
F3 480
2L 00
E
def
ault def
:
F3 : 0, 0 -
2L 0 sup
E, por
t: 0

D
High
Defin
ition
Audio
Devic
e)

sup
por
t:
S1
6L
E
F3
2L
E

- 0

Mikro
fon
(Realt
ek
High
Defin
ition
Audio
)
HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&
SUBSYS_102805B7&REV_1000\4&220b1bbc&0
&0001

Unpl
ugged

Non
e

def
ault
:
F3
2L
E,
sup
por
t:
S1
6L
E
F3
2L
E

def
ault
:
480
00,
sup
por
t:
480
00
-
480
00

Lauts
prech
er /
Kopf
hörer
(Realt
ek
High
Defin
ition
Audio
)
HDAUDIO\FUNC_01&VEN_10EC&DEV_0899&
SUBSYS_102805B7&REV_1000\4&220b1bbc&0
&0001

Disa
bled

Non
e

def
ault
:
F3
2L
E,
sup
por
t:
S1
6L
E
F3
2L
E

def
ault
:
0,
sup
por
t:
0
- 0
0
- 0

Mikro
fon
(Pro
9000)
USB\VID_046D&PID_0990&MI_02\6&2c0b937a
&0&0002

Enab
led

All

def
ault
:
F3
2L
E,
sup
por
t:
S1
6L

def
ault
:
160
00,
sup
por
t:
160
00
-
16
0
0

prech SUBSYS_102805B7&REV_1000\4&220b1bbc&0
 er / &0001
 Kopf
 hörer
 (Realt
 ek
 High
 Defin
 ition
 Audio
)

bled e ault ault 0
 : : 0,
 F3 sup
 2L por
 E, t: 0
 sup - 0
 por
 t:
 S1
 6L
 E
 F3
 2L
 E
 def
 ault
 :

Intern
 e
 AUX-
 Buchs
 e
 (AM HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&
 D SUBSYS_00AA0100&REV_1003\5&28dbcb48&0
 High &0001
 Defin
 ition
 Audio
 Devic
 e)

Disa Non
 bled e
 sup
 por 0
 t: 0
 S1
 6L
 E
 F3
 2L
 E
 def
 ault
 :

Intern
 e
 AUX-
 Buchs
 e
 (AM HDAUDIO\FUNC_01&VEN_1002&DEV_AA01&
 D SUBSYS_00AA0100&REV_1003\5&28dbcb48&0
 High &0001
 Defin
 ition
 Audio
 Devic
 e)

Disa Non
 bled e
 sup
 por 0
 t: 0
 S1
 6L
 E
 F3
 2L
 E
 def
 ault
 :

Wichtige modifizierte Einstellungen

accessibility.typeaheadfind.flashBar
 browser.cache.disk.capacity

0
 358400

browser.cache.disk.filesystem_reported	1
browser.cache.disk.hashstats_reported	1
browser.cache.disk.smart_size_cached_value	358400
browser.cache.disk.smart_size.first_run	false
browser.cache.disk.smart_size.use_old_max	false
browser.download.folderList	2
browser.download.useDownloadDir	true
dom.apps.reset-permissions	true
extensions.lastAppVersion	60.7.1
font.internaluseonly.changed	false
font.minimum-size.x-western	12
font.name.monospace.el	Consolas
font.name.monospace.tr	Consolas
font.name.monospace.x-baltic	Consolas
font.name.monospace.x-central-euro	Consolas
font.name.monospace.x-cyrillic	Consolas
font.name.monospace.x-unicode	Consolas
font.name.monospace.x-western	Consolas
font.name.sans-serif.el	Calibri
font.name.sans-serif.tr	Calibri
font.name.sans-serif.x-baltic	Calibri
font.name.sans-serif.x-central-euro	Calibri
font.name.sans-serif.x-cyrillic	Calibri
font.name.sans-serif.x-unicode	Calibri
font.name.sans-serif.x-western	Calibri
font.name.serif.el	Cambria
font.name.serif.tr	Cambria
font.name.serif.x-baltic	Cambria
font.name.serif.x-central-euro	Cambria
font.name.serif.x-cyrillic	Cambria
font.name.serif.x-unicode	Cambria
font.name.serif.x-western	Arial
font.size.fixed.el	14
font.size.fixed.tr	14
font.size.fixed.x-baltic	14
font.size.fixed.x-central-euro	14
font.size.fixed.x-cyrillic	14
font.size.fixed.x-unicode	14
font.size.fixed.x-western	14
font.size.variable.el	17
font.size.variable.tr	17
font.size.variable.x-baltic	17

font.size.variable.x-central-euro	17
font.size.variable.x-cyrillic	17
font.size.variable.x-unicode	17
font.size.variable.x-western	17
gfx.crash-guard.glcontext.appVersion	45.7.0
gfx.crash-guard.glcontext.deviceID	0x6811
gfx.crash-guard.glcontext.driverVersion	21.19.137.514
gfx.crash-guard.glcontext.gfx.driver-init.direct3d11-angle	true
gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle	true
gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-force-d3d11	false
gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-force-warp	false
gfx.crash-guard.glcontext.gfx.driver-init.webgl-angle-try-d3d11	true
gfx.crash-guard.status.glcontext	2
gfx.direct3d.last_used_feature_level_idx	0
media.gmp.storage.version.observed	1
network.cookie.prefsMigrated	true
network.predictor.cleaned-up	true
places.database.lastMaintenance	1560941126
places.history.expiration.transient_current_max_pages	119545
plugin.importedState	true
plugin.state.flash	0
print.print_printer	EPSON Stylus DX6000 Series
print.printer_Adobe_PDF.print_bgcolor	true
print.printer_Adobe_PDF.print_bgimages	true
print.printer_Adobe_PDF.print_duplex	0
print.printer_Adobe_PDF.print_edge_bottom	0
print.printer_Adobe_PDF.print_edge_left	0
print.printer_Adobe_PDF.print_edge_right	0
print.printer_Adobe_PDF.print_edge_top	0
print.printer_Adobe_PDF.print_evenpages	true
print.printer_Adobe_PDF.print_footercenter	
print.printer_Adobe_PDF.print_footerleft	&PT
print.printer_Adobe_PDF.print_footerright	&D
print.printer_Adobe_PDF.print_headercenter	
print.printer_Adobe_PDF.print_headerleft	&T
print.printer_Adobe_PDF.print_headerright	&U
print.printer_Adobe_PDF.print_in_color	true
print.printer_Adobe_PDF.print_margin_bottom	0.5
print.printer_Adobe_PDF.print_margin_left	0.5
print.printer_Adobe_PDF.print_margin_right	0.5
print.printer_Adobe_PDF.print_margin_top	0.5

print.printer_Adobe_PDF.print_oddpages	true
print.printer_Adobe_PDF.print_orientation	0
print.printer_Adobe_PDF.print_page_delay	50
print.printer_Adobe_PDF.print_paper_data	-1
print.printer_Adobe_PDF.print_paper_height	297,00
print.printer_Adobe_PDF.print_paper_name	
print.printer_Adobe_PDF.print_paper_size_type	1
print.printer_Adobe_PDF.print_paper_size_unit	1
print.printer_Adobe_PDF.print_paper_width	210,00
print.printer_Adobe_PDF.print_resolution	1200
print.printer_Adobe_PDF.print_reversed	false
print.printer_Adobe_PDF.print_scaling	1,00
print.printer_Adobe_PDF.print_shrink_to_fit	true
print.printer_Adobe_PDF.print_to_file	false
print.printer_Adobe_PDF.print_unwriteable_margin_bottom	0
print.printer_Adobe_PDF.print_unwriteable_margin_left	0
print.printer_Adobe_PDF.print_unwriteable_margin_right	0
print.printer_Adobe_PDF.print_unwriteable_margin_top	0
print.printer_EPSON_PX820FWD_Series.print_bgcolor	false
print.printer_EPSON_PX820FWD_Series.print_bgimages	false
print.printer_EPSON_PX820FWD_Series.print_colorspace	
print.printer_EPSON_PX820FWD_Series.print_command	
print.printer_EPSON_PX820FWD_Series.print_downloadfonts	false
print.printer_EPSON_PX820FWD_Series.print_duplex	0
print.printer_EPSON_PX820FWD_Series.print_edge_bottom	0
print.printer_EPSON_PX820FWD_Series.print_edge_left	0
print.printer_EPSON_PX820FWD_Series.print_edge_right	0
print.printer_EPSON_PX820FWD_Series.print_edge_top	0
print.printer_EPSON_PX820FWD_Series.print_evenpages	true
print.printer_EPSON_PX820FWD_Series.print_footercenter	
print.printer_EPSON_PX820FWD_Series.print_footerleft	&PT
print.printer_EPSON_PX820FWD_Series.print_footerright	&D
print.printer_EPSON_PX820FWD_Series.print_headercenter	
print.printer_EPSON_PX820FWD_Series.print_headerleft	&T
print.printer_EPSON_PX820FWD_Series.print_headerright	&U
print.printer_EPSON_PX820FWD_Series.print_in_color	true
print.printer_EPSON_PX820FWD_Series.print_margin_bottom	0.5
print.printer_EPSON_PX820FWD_Series.print_margin_left	0.5
print.printer_EPSON_PX820FWD_Series.print_margin_right	0.5
print.printer_EPSON_PX820FWD_Series.print_margin_top	0.5
print.printer_EPSON_PX820FWD_Series.print_oddpages	true
print.printer_EPSON_PX820FWD_Series.print_orientation	0

print.printer_EPSON_PX820FWD_Series.print_page_delay	50
print.printer_EPSON_PX820FWD_Series.print_paper_data	9
print.printer_EPSON_PX820FWD_Series.print_paper_height	297,00
print.printer_EPSON_PX820FWD_Series.print_paper_name	
print.printer_EPSON_PX820FWD_Series.print_paper_size_type	0
print.printer_EPSON_PX820FWD_Series.print_paper_size_unit	1
print.printer_EPSON_PX820FWD_Series.print_paper_width	210,00
print.printer_EPSON_PX820FWD_Series.print_plex_name	
print.printer_EPSON_PX820FWD_Series.print_resolution	0
print.printer_EPSON_PX820FWD_Series.print_resolution_name	
print.printer_EPSON_PX820FWD_Series.print_reversed	false
print.printer_EPSON_PX820FWD_Series.print_scaling	1,50
print.printer_EPSON_PX820FWD_Series.print_shrink_to_fit	true
print.printer_EPSON_PX820FWD_Series.print_to_file	false
print.printer_EPSON_PX820FWD_Series.print_unwriteable_margin_bottom	0
print.printer_EPSON_PX820FWD_Series.print_unwriteable_margin_left	0
print.printer_EPSON_PX820FWD_Series.print_unwriteable_margin_right	0
print.printer_EPSON_PX820FWD_Series.print_unwriteable_margin_top	0
print.printer_EPSON_Stylus_DX4800_Series.print_bgcolor	false
print.printer_EPSON_Stylus_DX4800_Series.print_bgimages	false
print.printer_EPSON_Stylus_DX4800_Series.print_command	
print.printer_EPSON_Stylus_DX4800_Series.print_downloadfonts	true
print.printer_EPSON_Stylus_DX4800_Series.print_evenpages	true
print.printer_EPSON_Stylus_DX4800_Series.print_footercenter	
print.printer_EPSON_Stylus_DX4800_Series.print_footerleft	&PT
print.printer_EPSON_Stylus_DX4800_Series.print_footerright	&D
print.printer_EPSON_Stylus_DX4800_Series.print_headercenter	
print.printer_EPSON_Stylus_DX4800_Series.print_headerleft	&T
print.printer_EPSON_Stylus_DX4800_Series.print_headerright	&U
print.printer_EPSON_Stylus_DX4800_Series.print_in_color	true
print.printer_EPSON_Stylus_DX4800_Series.print_margin_bottom	0.5
print.printer_EPSON_Stylus_DX4800_Series.print_margin_left	0.5
print.printer_EPSON_Stylus_DX4800_Series.print_margin_right	0.5
print.printer_EPSON_Stylus_DX4800_Series.print_margin_top	0.5
print.printer_EPSON_Stylus_DX4800_Series.print_oddpages	true
print.printer_EPSON_Stylus_DX4800_Series.print_orientation	0
print.printer_EPSON_Stylus_DX4800_Series.print_pagedelay	500
print.printer_EPSON_Stylus_DX4800_Series.print_paper_data	9
print.printer_EPSON_Stylus_DX4800_Series.print_paper_height	11,00
print.printer_EPSON_Stylus_DX4800_Series.print_paper_size	101187722
print.printer_EPSON_Stylus_DX4800_Series.print_paper_size_type	0
print.printer_EPSON_Stylus_DX4800_Series.print_paper_size_unit	1

print.printer_EPSON_Stylus_DX4800_Series.print_paper_width	8,50
print.printer_EPSON_Stylus_DX4800_Series.print_printer	EPSON Stylus DX4800 Series
print.printer_EPSON_Stylus_DX4800_Series.print_reversed	false
print.printer_EPSON_Stylus_DX4800_Series.print_scaling	1,00
print.printer_EPSON_Stylus_DX4800_Series.print_shrink_to_fit	true
print.printer_EPSON_Stylus_DX4800_Series.print_to_file	false
print.printer_EPSON_Stylus_DX6000_Series.print_bgcolor	false
print.printer_EPSON_Stylus_DX6000_Series.print_bgimages	false
print.printer_EPSON_Stylus_DX6000_Series.print_command	
print.printer_EPSON_Stylus_DX6000_Series.print_downloadfonts	true
print.printer_EPSON_Stylus_DX6000_Series.print_evenpages	true
print.printer_EPSON_Stylus_DX6000_Series.print_footercenter	
print.printer_EPSON_Stylus_DX6000_Series.print_footerleft	&PT
print.printer_EPSON_Stylus_DX6000_Series.print_footerright	&D
print.printer_EPSON_Stylus_DX6000_Series.print_headercenter	
print.printer_EPSON_Stylus_DX6000_Series.print_headerleft	&T
print.printer_EPSON_Stylus_DX6000_Series.print_headerright	&U
print.printer_EPSON_Stylus_DX6000_Series.print_in_color	true
print.printer_EPSON_Stylus_DX6000_Series.print_margin_bottom	0.5
print.printer_EPSON_Stylus_DX6000_Series.print_margin_left	0.5
print.printer_EPSON_Stylus_DX6000_Series.print_margin_right	0.5
print.printer_EPSON_Stylus_DX6000_Series.print_margin_top	0.5
print.printer_EPSON_Stylus_DX6000_Series.print_oddpages	true
print.printer_EPSON_Stylus_DX6000_Series.print_orientation	0
print.printer_EPSON_Stylus_DX6000_Series.print_pagedelay	500
print.printer_EPSON_Stylus_DX6000_Series.print_paper_data	9
print.printer_EPSON_Stylus_DX6000_Series.print_paper_height	11,00
print.printer_EPSON_Stylus_DX6000_Series.print_paper_size	3211349
print.printer_EPSON_Stylus_DX6000_Series.print_paper_size_type	0
print.printer_EPSON_Stylus_DX6000_Series.print_paper_size_unit	1
print.printer_EPSON_Stylus_DX6000_Series.print_paper_width	8,50
print.printer_EPSON_Stylus_DX6000_Series.print_reversed	false
print.printer_EPSON_Stylus_DX6000_Series.print_scaling	1,25
print.printer_EPSON_Stylus_DX6000_Series.print_shrink_to_fit	false
print.printer_EPSON_Stylus_DX6000_Series.print_to_file	false
print.printer_EPSON_Stylus_Photo_2100.print_bgcolor	false
print.printer_EPSON_Stylus_Photo_2100.print_bgimages	false
print.printer_EPSON_Stylus_Photo_2100.print_command	
print.printer_EPSON_Stylus_Photo_2100.print_downloadfonts	true
print.printer_EPSON_Stylus_Photo_2100.print_evenpages	true
print.printer_EPSON_Stylus_Photo_2100.print_footercenter	

print.printer_EPSON_Stylus_Photo_2100.print_footerleft	&PT
print.printer_EPSON_Stylus_Photo_2100.print_footerright	&D
print.printer_EPSON_Stylus_Photo_2100.print_headercenter	
print.printer_EPSON_Stylus_Photo_2100.print_headerleft	&T
print.printer_EPSON_Stylus_Photo_2100.print_headerright	&U
print.printer_EPSON_Stylus_Photo_2100.print_in_color	true
print.printer_EPSON_Stylus_Photo_2100.print_margin_bottom	0.5
print.printer_EPSON_Stylus_Photo_2100.print_margin_left	0.5
print.printer_EPSON_Stylus_Photo_2100.print_margin_right	0.5
print.printer_EPSON_Stylus_Photo_2100.print_margin_top	0.5
print.printer_EPSON_Stylus_Photo_2100.print_oddpages	true
print.printer_EPSON_Stylus_Photo_2100.print_orientation	0
print.printer_EPSON_Stylus_Photo_2100.print_pagedelay	500
print.printer_EPSON_Stylus_Photo_2100.print_paper_data	9
print.printer_EPSON_Stylus_Photo_2100.print_paper_height	11,00
print.printer_EPSON_Stylus_Photo_2100.print_paper_size	3211349
print.printer_EPSON_Stylus_Photo_2100.print_paper_size_type	0
print.printer_EPSON_Stylus_Photo_2100.print_paper_size_unit	1
print.printer_EPSON_Stylus_Photo_2100.print_paper_width	8,50
print.printer_EPSON_Stylus_Photo_2100.print_printer	EPSON Stylus Photo 2100
print.printer_EPSON_Stylus_Photo_2100.print_reversed	false
print.printer_EPSON_Stylus_Photo_2100.print_scaling	1,00
print.printer_EPSON_Stylus_Photo_2100.print_shrink_to_fit	false
print.printer_EPSON_Stylus_Photo_2100.print_to_file	false
print.printer_EPSON_XP-960_Series.print_bgcolor	true
print.printer_EPSON_XP-960_Series.print_bgimages	true
print.printer_EPSON_XP-960_Series.print_duplex	0
print.printer_EPSON_XP-960_Series.print_edge_bottom	0
print.printer_EPSON_XP-960_Series.print_edge_left	0
print.printer_EPSON_XP-960_Series.print_edge_right	0
print.printer_EPSON_XP-960_Series.print_edge_top	0
print.printer_EPSON_XP-960_Series.print_evenpages	true
print.printer_EPSON_XP-960_Series.print_footercenter	
print.printer_EPSON_XP-960_Series.print_footerleft	&PT
print.printer_EPSON_XP-960_Series.print_footerright	&D
print.printer_EPSON_XP-960_Series.print_headercenter	
print.printer_EPSON_XP-960_Series.print_headerleft	&T
print.printer_EPSON_XP-960_Series.print_headerright	&U
print.printer_EPSON_XP-960_Series.print_in_color	true
print.printer_EPSON_XP-960_Series.print_margin_bottom	0.5
print.printer_EPSON_XP-960_Series.print_margin_left	0.5

print.printer_EPSON_XP-960_Series.print_margin_right	0.5
print.printer_EPSON_XP-960_Series.print_margin_top	0.5
print.printer_EPSON_XP-960_Series.print_oddpages	true
print.printer_EPSON_XP-960_Series.print_orientation	0
print.printer_EPSON_XP-960_Series.print_page_delay	50
print.printer_EPSON_XP-960_Series.print_paper_data	9
print.printer_EPSON_XP-960_Series.print_paper_height	297,00
print.printer_EPSON_XP-960_Series.print_paper_name	
print.printer_EPSON_XP-960_Series.print_paper_size_type	0
print.printer_EPSON_XP-960_Series.print_paper_size_unit	1
print.printer_EPSON_XP-960_Series.print_paper_width	210,00
print.printer_EPSON_XP-960_Series.print_resolution	360
print.printer_EPSON_XP-960_Series.print_reversed	false
print.printer_EPSON_XP-960_Series.print_scaling	1,00
print.printer_EPSON_XP-960_Series.print_shrink_to_fit	true
print.printer_EPSON_XP-960_Series.print_to_file	false
print.printer_EPSON_XP-960_Series.print_unwriteable_margin_bottom	0
print.printer_EPSON_XP-960_Series.print_unwriteable_margin_left	0
print.printer_EPSON_XP-960_Series.print_unwriteable_margin_right	0
print.printer_EPSON_XP-960_Series.print_unwriteable_margin_top	0
print.printer_Microsoft_Print_to_PDF.print_bgcolor	true
print.printer_Microsoft_Print_to_PDF.print_bgimages	true
print.printer_Microsoft_Print_to_PDF.print_duplex	0
print.printer_Microsoft_Print_to_PDF.print_edge_bottom	0
print.printer_Microsoft_Print_to_PDF.print_edge_left	0
print.printer_Microsoft_Print_to_PDF.print_edge_right	0
print.printer_Microsoft_Print_to_PDF.print_edge_top	0
print.printer_Microsoft_Print_to_PDF.print_evenpages	true
print.printer_Microsoft_Print_to_PDF.print_footercenter	
print.printer_Microsoft_Print_to_PDF.print_footerleft	&PT
print.printer_Microsoft_Print_to_PDF.print_footerright	&D
print.printer_Microsoft_Print_to_PDF.print_headercenter	
print.printer_Microsoft_Print_to_PDF.print_headerleft	&T
print.printer_Microsoft_Print_to_PDF.print_headerright	&U
print.printer_Microsoft_Print_to_PDF.print_in_color	true
print.printer_Microsoft_Print_to_PDF.print_margin_bottom	0.5
print.printer_Microsoft_Print_to_PDF.print_margin_left	0.5
print.printer_Microsoft_Print_to_PDF.print_margin_right	0.5
print.printer_Microsoft_Print_to_PDF.print_margin_top	0.5
print.printer_Microsoft_Print_to_PDF.print_oddpages	true
print.printer_Microsoft_Print_to_PDF.print_orientation	0
print.printer_Microsoft_Print_to_PDF.print_page_delay	50

print.printer_Microsoft_Print_to_PDF.print_paper_data	9
print.printer_Microsoft_Print_to_PDF.print_paper_height	-1,00
print.printer_Microsoft_Print_to_PDF.print_paper_name	
print.printer_Microsoft_Print_to_PDF.print_paper_size_unit	1
print.printer_Microsoft_Print_to_PDF.print_paper_width	-1,00
print.printer_Microsoft_Print_to_PDF.print_resolution	600
print.printer_Microsoft_Print_to_PDF.print_reversed	false
print.printer_Microsoft_Print_to_PDF.print_scaling	1,00
print.printer_Microsoft_Print_to_PDF.print_shrink_to_fit	true
print.printer_Microsoft_Print_to_PDF.print_to_file	false
print.printer_Microsoft_Print_to_PDF.print_unwriteable_margin_bottom	0
print.printer_Microsoft_Print_to_PDF.print_unwriteable_margin_left	0
print.printer_Microsoft_Print_to_PDF.print_unwriteable_margin_right	0
print.printer_Microsoft_Print_to_PDF.print_unwriteable_margin_top	0
print.printer_PDFCreator.print_bgcolor	false
print.printer_PDFCreator.print_bgimages	false
print.printer_PDFCreator.print_colorspace	
print.printer_PDFCreator.print_command	
print.printer_PDFCreator.print_downloadfonts	false
print.printer_PDFCreator.print_duplex	0
print.printer_PDFCreator.print_edge_bottom	0
print.printer_PDFCreator.print_edge_left	0
print.printer_PDFCreator.print_edge_right	0
print.printer_PDFCreator.print_edge_top	0
print.printer_PDFCreator.print_evenpages	true
print.printer_PDFCreator.print_footercenter	
print.printer_PDFCreator.print_footerleft	&PT
print.printer_PDFCreator.print_footerright	&D
print.printer_PDFCreator.print_headercenter	
print.printer_PDFCreator.print_headerleft	&T
print.printer_PDFCreator.print_headerright	&U
print.printer_PDFCreator.print_in_color	true
print.printer_PDFCreator.print_margin_bottom	0.5
print.printer_PDFCreator.print_margin_left	0.5
print.printer_PDFCreator.print_margin_right	0.5
print.printer_PDFCreator.print_margin_top	0.5
print.printer_PDFCreator.print_oddpages	true
print.printer_PDFCreator.print_orientation	0
print.printer_PDFCreator.print_page_delay	50
print.printer_PDFCreator.print_paper_data	9
print.printer_PDFCreator.print_paper_height	297,00
print.printer_PDFCreator.print_paper_name	

print.printer_PDFCreator.print_paper_size_type	0
print.printer_PDFCreator.print_paper_size_unit	1
print.printer_PDFCreator.print_paper_width	210,00
print.printer_PDFCreator.print_plex_name	
print.printer_PDFCreator.print_resolution	0
print.printer_PDFCreator.print_resolution_name	
print.printer_PDFCreator.print_reversed	false
print.printer_PDFCreator.print_scaling	1,50
print.printer_PDFCreator.print_shrink_to_fit	true
print.printer_PDFCreator.print_to_file	false
print.printer_PDFCreator.print_unwriteable_margin_bottom	0
print.printer_PDFCreator.print_unwriteable_margin_left	0
print.printer_PDFCreator.print_unwriteable_margin_right	0
print.printer_PDFCreator.print_unwriteable_margin_top	0
security.sandbox.content.tempDirSuffix	{bec3fb36-1968-432b-9dfa-c13201e45edb}
storage.vacuum.last.index	1
storage.vacuum.last.places.sqlite	1560094792
ui.osk.debug.keyboardDisplayReason	IKPOS: Touch screen not found.

Wichtige nicht veränderbare Einstellungen

Chronik- und Lesezeichendatenbank

JavaScript

Inkrementelle GC true

Barrierefreiheit

Aktiviert true

Barrierefrei
heit 0

verhindern

Accessible

Handler true

verwendet

**Dienst für
Barrierefrei-
heit
aufgerufen
durch** UNKNOWN|C:\ProgramData\VideoDownloaderUltimateWinApp\VideoDown-
loaderUltimate.exe

Bibliotheken-Versionen

	Minimal vorausgesetzte Version	Verwendete Version
NSPR	4.19	4.19
NSS	3.36.7	3.36.7
NSSSMIME	3.36.7	3.36.7
NSSSSL	3.36.7	3.36.7
NSSUTIL	3.36.7	3.36.7

Isolierte Umgebungen

Ebene der isolierten Umgebung des Inhaltsprozesses 0
Effektive Ebene der isolierten Umgebung 1

Internationalisierung & Lokalisierung

Anwendungseinstellungen

Angeforderte Sprachen ["de","en-US"]
Verfügbare Sprachen ["de"]
Anwendungssprachen ["de"]
Region-Einstellungen ["de-AT"]
Standardsprache "de"

Betriebssystem

Sprachen des Betriebssystems ["de-DE"]
Region-Einstellungen ["de-AT"]